BWX Putty Systems

Dispense high or low volumes of polyester putty



- Material directly from a 55 gallon drum
- Optional low-boy cart and 12 ft. boom
- Catalyst accurately metered through the GS designed MEKP slave system and thoroughly mixed in the dispensing nozzle
- Also, the labor-saving air/solvent purge assembly minimizes cleaning, this unit allows virtually the entire usage of all the putty with no open containers, resulting in lower styrene emissions
- 5 gallon pail units ask for LWX

Composite Fabrication Equipment Pioneer of High Flow Structural Adhesive Dispensing Systems



BWX Putty Systems

Ideal for all your putty dispensing applications



2015LWX Dispensing X-GUN® Low output applications



X2015 Spray X-GUN®

Barrier coats, Coring materials, Sprayable syntactic putties, **Tooling materials**

LWX Putty Systems Designed for use with 5 gallon pails

BW1000 Valve Gun

High output static mixer at end of nozzle for minimal waste, solvent/ air flush

Specifications:

- Output pour up to 25 lbs/min (11.3 kg/min) spray up to 6 lbs/min (2.7 kg/min)
- Catalyst percentage .75%-3% by volume
- Pump ratio 23:1 chop check
- Air requirements 25-30 CFM

Standard Components:

- 55 Gallon ram
- Extrusion pump assembly with shuttle valve
- S1000-97 MEKP Slave pump assembly
- BW1000 Hi-output valve gun or X2004 X-GUN
- 25 Foot hose set
- 2:1 Solvent pump assembly for nozzle flush

Options:

- Additional hose lengths
- MVA01 Low output manual valve gun
- X2004G X-GUN with air trigger
- #180 BWX Cart only
- MI-PX Mast only
- RB300-PX Boom only
- X2004SP Spray X-GUN

We proudly serve these industries... Wind Power, Marine, Rail, RV, Automotive, Truck, Tub and Shower, Swimming Pools, Jacuzzis, Water Park and Playground, Storage Tank, Architectural, Recreational Products

www.gsmfg.com

985 W. 18th Street, Costa Mesa, CA 92627 949-642-1500 • Fax 949-631-6770

Made to your specifications in the United States

Composite Fabrication Equipment Pioneer of High Flow Structural Adhesive Dispensing Systems

